

TECHNICAL INFORMATION

AW527SD Zeta R



Surface Mounted
Adjustable

Application Descriptions:

- Surface Mounted, Adjustable
- Internal Areas
- Residential Living, Commercial Offices, Retail and Hospitality, Educational and Medical Building Applications

Product Name	ZETA R
Description	Cylindrical Ceiling Mounted, Adjustable Head LED Luminaire
Material	Die Cast Aluminium Housing, Pure Aluminium Reflector, Polycarbonate Lens Diffuser, Steel Sheet Mounting Plate
Dimensions	Diameter: 125mm; Height: 152mm
LED Details	15W, Sharp Zenigata COB, 3000K or 4000K available, 36° Beam, CRI: 80, 1400lms
Driver	Integral LED Driver
IP Rating	IP20
IK Rating	IK03
Installation	Surface Mounted

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Order Code:


AW527SD-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW527SD-WH-3K-36°-ND


Options:

Colour Finish	Temperature	Beam Angle	Dimming
WH (White)	3K (3000K)	36°	ND (Non-Dim)
	4K (4000K)		PH (Phase)
			11 (1-10V)
			DD (DALI)

Dimensions Line Diagram:



Photometrics:



h(m)	D(m)	Em(lx)	Emax(lx)
			36°
1	0.7	493	1972
2	1.4	173	493
3	2.1	99	219
4	2.8	68	123
5	3.4	51	79

TECHNICAL INFORMATION

Product Application Photos:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com