TECHNICAL INFORMATION



AW9661OF Grigio 94





Application Descriptions:

- Surface Mounted, Fixed
- Internal Areas, Linear Lighting Even Distribution Applications
- Commercial Offices, Residential Living, Educational Buildings:
 Work Desks, Kitchen Islands, Meeting and Board Room Applications

Product Name	GRIGIO 94			
Description	Linear Bar, Ceiling Mounted, Low Glare Anti-Brittle Diffuser, LED Luminaire with Integral LED Driver			
Material	Pure Aluminium Extrusion, Glare Protective Frosted Acrylic Diffuser			
Dimensions	Width: 94mm; Height: 94mm			
LED Details	Samsung SMD LED, 3000K or 4000K available, 30W per metre (2670lms) 42W per metre (3600lms) 66W per metre (5200lms)			
Driver	Integral LED Driver			
IP Rating	IP20			
IK Rating	IK06			
Installation	Surface Mounted			

TECHNICAL INFORMATION




Order Code:

AW9661OF-(Colour Finish)-(Length)-(Temperature)-(Beam Angle)-(Dimming) Example: AW9661OF-WH-2000-3K-120-ND


Options:

Colour	Length	Temperature	Beam Angle	Dimming
WH (White)	(in mm)	3K (3000K)	120°	ND (Non-Dim)
AL (Aluminium)		4K (4000K)		11 (1-10V)
BK (Black)				DD (DALI)

Dimensions Line Diagram:



Photometrics:





TECHNICAL INFORMATION

Product Application Photos:

