


TECHNICAL INFORMATION

AW137L Wyatt



Recessed
Fixed

Application Descriptions:

- Recessed, Fixed
- Internal Applications
- Linear Task Lighting, Office Desks, Corridors, Lobby Entries, Wall Washing

Product Name	WYATT
Description	Linear Architectural, Custom Length, Anti-Glare Diffuser Recessed, LED Luminaire
Material	Pure Aluminium Extrusion, Glare Protective Frosted Acrylic Diffuser, LED PC Boards
Dimensions	Width: 94mm; Height: 94mm
LED Details	15,21,30W/m Samsung SMD, 3000K or 4000K available, 1100, 1750, 2700 lm/m
Driver	Remote Driver
IP Rating	IP20
IK Rating	IK05
Installation	Recessed

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

Order Code:

AW137L-(Colour Finish)-(Temperature)-(Watts)-(Dimming)

Example: AW137L-WH-3K-15-ND


Options:

Colour Finish	Temperature	Watts	Dimming
WH (White)	3K (3000K)	15 (15W)	ND (Non-Dim)
BK (Black)	4K (4000K)	21 (21W)	11 (1-10v)
AL (Aluminium)		30 (30W)	DD (Dali)

Dimensions Line Diagram:



Production Application Photos:




We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

Photometrics:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com