


## TECHNICAL INFORMATION

### AW151BD Giacinta



Floor Mounted  
Fixed

#### Application Descriptions:

- Floor Mounted, Fixed
- Exterior Areas, Landscaping
- Parks, Pathways, Planter Areas, Residential Landscaping, Building or Carpark Boundary Applications

Product Name	<b>GIACINTA</b>
Description	Two Directional Cylindrical Floor Mounted LED Bollard
Material	Die cast Aluminium Body and Base, Powder Coated Pre-treated for Outdoor Use, Tempered Glass Diffuser Stainless Steel Screws
Dimensions	Height: 750mm; Diameter: 108mm
LED Details	6W, Bridgelux COB, 3000K, 420lms
Driver	Integral Non-Dimmable Driver
IP Rating	IP54
IK Rating	IK10
Installation	Floor Mounted

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: [sales@actwelllighting.com.au](mailto:sales@actwelllighting.com.au)  
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | [www.actwelllighting.com](http://www.actwelllighting.com)

## TECHNICAL INFORMATION

### Order Code:


AW151BD-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW151BD-GR-3K-ND


### Options:

Colour Finish	Temperature	Beam Angle	Dimming
GR (Grey)	3K (3000K)	100°	ND (Non-Dim)
GP (Graphite)			

### Dimensions Line Diagram:



### Photometrics:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: [sales@actwelllighting.com.au](mailto:sales@actwelllighting.com.au)

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | [www.actwelllighting.com](http://www.actwelllighting.com)

## TECHNICAL INFORMATION

### Product Application Photos:

