## **TECHNICAL INFORMATION**



## **AW6352EW Matteo Mini**







Inground/Surface Mounted Spotlight Adjustable

## **Application Descriptions:**

- Inground or Surface Mounted, Adjustable
- Exterior Areas, Spotlighting Applications
- Exterior Building Perimeter, Columns, Pathway Lighting, Foliage/Tree Uplighter

<b>Product Name</b>	MATTEO MINI		
Description	Robust, Adjustable, Built in Driver LED Spotlighter with Optional Stake Attachment		
Material	High Grade Die Cast Aluminium Body and Base with Anti-aging & Corrosion Resistant Powdercoat, Steel Internal Canister, Glass Diffuser, Stainless Steel Screws		
Dimensions	Head Diameter: 90mm; Head Width: 107mm; Head Length: 158mm; Base Height: 147mm		
LED Details	9W Cree SMD, 3000K or 4000K available, Beam Angle: 36°, 710lm		
Driver	Integral Driver		
IP Rating	IP65		
IK Rating	IK07		
Installation	Inground / Surface Mounted		

## **TECHNICAL INFORMATION**



## **Order Code:**


### AW6352EW-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW6352EW-GR-3K-28°-ND


## **Options:**

Colour Finish	Temperature	Beam Angle	Dimming
GR (Grey)	3K (3000K)	28°	ND (Non-Dim)
	4K (4000K)		

#### **Dimensions Line Diagram:**



#### **Photometrics:**



# **TECHNICAL INFORMATION**



# **Product Application Photo:**

