

TECHNICAL INFORMATION

AW4121TR Lyon 15



Track Mounted
Adjustable

Application Descriptions:

- Track Mounted, Adjustable
- Internal Areas
- Spotlighting for Retail, Hospitality, Showrooms and Galleries, Reception Areas, Residential Living Applications

Product Name	LYON 15
Description	Compact, Minimalist LED Track Light with Internal Black Baffle, Low Glare Reflector, Integral Driver
Material	Die Cast Aluminium Body and Trim
Dimensions	Diameter: 70mm; Height: 115mm
LED Details	15W Philips LED, 3000K or 4000K available, CRI: 90, Beam Angle: 24° or 60°, 1200lm
Driver	Integral Driver
IP Rating	IP20
IK Rating	IK03
Installation	Track Mounted

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Order Code:


AW4121TR-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW4121TR-WH-3K-24°-ND


Options:

Colour Finish	Temperature	Beam Angle	Dimming
WH (White)	3K (3000K)	24°	ND (Non-Dim)
BK (Black)	4K (4000K)	60°	PH (Phase)
			11 (1-10V)
			DD (DALI)


Dimensions Line Diagram:



Photometrics:



h(m)	D(m)	Em(lx)	Emax(lx)
			24°
1	0.5	924	3697
2	0.9	323	924
3	1.4	185	411
4	1.9	127	231



h(m)	D(m)	Em(lx)	Emax(lx)
			60°
1	1.1	661	1468
2	2.1	202	367
3	3.2	106	163
4	4.2	69	92

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Product Application Photo:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com