

TECHNICAL INFORMATION

AW560SD Cyril



Surface Mounted
Fixed

Application Descriptions:

- Surface Mounted, Fixed
- Internal Areas, Wide Coverage for Low to Medium Ceiling Heights
- Residential Living, Protected Balcony/Patio Areas, Corridors and Pathways, Commercial Offices, Retail and Hospitality Applications

Product Name	CYRIL
Description	Round Ceiling Mounted, Low Profile Fixed LED Luminaire
Material	Die cast Aluminium Trim and Body, Polycarbonate Lens Diffuser
Dimensions	Diameter: 130mm; Height: 81mm
LED Details	13W, Cree SMD 2835, 3000K or 4000K available, 90° Beam, CRI: 80, 860lm
Driver	Integral LED Driver
IP Rating	IP20
IK Rating	IK05
Installation	Surface Mounted

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Order Code:


AW560SD-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW560SD-WH-3K-90°-ND


Options:

Colour Finish	Temperature	Beam Angle	Dimming
WH (White)	3K (3000K)	90°	ND (Non-Dim)
	4K (4000K)		

Dimensions Line Diagram:



Photometrics:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Product Application Photo:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com