TECHNICAL INFORMATION



AW3303RS Center Triple





Recessed Adjustable



Application Descriptions:

- Recessed, Adjustable
- Internal Application
- Residential Living, Commercial Offices, Retail and Hospitality,
 Shopping Malls, Showrooms and Galleries, Educational and Medical Building Applications

Product Name	CENTER TRIPLE		
Description	Triple Head, Rectangular Trim, Adjustable Gimbal,		
	Recessed LED Downlight, Remote 1-to-1 LED Drivers		
Material	High Grade Aluminium Alloy Inner Rings, Cold Rolled		
	Sheet Metal Body, Frosted PC Lens Diffuser		
Dimensions	Diameter: 191 x 356mm; Height: 118mm; Cut Out: 335 x 165mm		
LED Details	3x20W Sharp Zenigata, 3000K or 4000K available,		
	CRI: 80, Beam Angle: 36°, 6000lm		
Driver	500mA LED Driver		
IP Rating	IP20		
IK Rating	IK03		
Installation	Recessed		

TECHNICAL INFORMATION



Order Code:


AW3303RS-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW3303RS-WH-3K-36°-ND


Options:

Colour Finish	Temperature	Beam Angle	Dimming
WH (White)	3K (3000K)	36°	ND (Non-Dim)
BK (Black)	4K (4000K)		PH (Phase)
GR (Gary)			11 (1-10V)
			DD (DALI)

Dimensions Line Diagram:



Photometrics:







Product Application Photo:

