

TECHNICAL INFORMATION

AW6012EW Ezzelin R



Recessed
Fixed

Application Descriptions:

- Recessed, Fixed
- External Areas, Landscaping
- Planter Boxes, Stair Walls, Corridors and Pathway Applications

Product Name	EZZELIN R
Description	Exterior, Vandal Proof, Downward Projected, Recessed LED Wall Luminaire with Back Housing
Material	Aluminium Alloy Body & Trim, Pre-treated for Outdoor Use, Frosted Tempered Glass Diffuser, Injection Moulded Back Housing, Silicone Rubber Gasket
Dimensions	Height: 100mm; Width: 150mm; Projection: 95mm Cut-out: 145 x 95 x 90mm
LED Details	10W, Sharp SMD, 3000K, 170lms
Driver	Integral LED Driver
IP Rating	IP54
IK Rating	IK10
Installation	Surface Mounted

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Order Code:


AW6012EW-(Colour Finish)-(Temperature)-(Dimming)

Example: AW6012EW-GR-3K-ND


Options:

Colour Finish	Temperature	Dimming
GR (Grey)	3K (3000K)	ND (Non-Dim)

Dimensions Line Diagram:



Photometrics:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Product Application Photo:

