
#### **TECHNICAL INFORMATION**



## AW528SD Zeta S





## **Application Descriptions:**

- Surface Mounted, Adjustable
- Internal Areas
- Residential Living, Commercial Offices, Retail and Hospitality, Educational and Medical Building Applications

<b>Product Name</b>	ZETA S
Description	Rectangular Ceiling Mounted Adjustable Head LED Luminaire
Material	Die Cast Aluminium Housing, Pure Aluminium Reflector, Polycarbonate Lens Diffuser, Steel Sheet Mounting Plate
Dimensions	Width: 120mm; Length: 120mm; Height: 152mm
LED Details	15W, Sharp Zenigata COB, 3000K or 4000K available, 36° Beam, CRI: 80, 1400lms
Driver	Integral LED Driver
IP Rating	IP20
IK Rating	IK03
Installation	Surface Mounted

### **TECHNICAL INFORMATION**



## **Order Code:**


# AW528SD -(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW528SD-WH-3K-36°-ND


# **Options:**

Colour Finish	Temperature	Beam Angle	Dimming
WH (White)	3K (3000K)	<b>36</b> °	ND (Non-Dim)
	4K (4000K)		PH (Phase)
			11 (1-10V)
			DD (DALI)

#### **Dimensions Line Diagram:**



#### **Photometrics:**



# **TECHNICAL INFORMATION**



## **Product Application Photo:**

