

TECHNICAL INFORMATION

AW6212RD Ecospot 12



Recessed
Adjustable

Application Descriptions:

- Recessed, Adjustable
- Interior Areas, Spotlighting Applications
- Retail and Hospitality, Residential Living, Galleries and Showroom Applications

Product Name	ECOSPOT 12
Description	Extendable Round Recessed LED Spotlighter with Remote Driver
Material	Powdercoated Die Cast Aluminium Trim, Robust Steel Extendable Slider, Frosted Glass Diffuser
Dimensions	Diameter: 151mm; Height: 132mm; Cut Out: 144mm
LED Details	12W Sharp GW6BMW30HED, 3000K or 4000K available, CRI: 80, Beam Angle: 25°, 1000lm
Driver	350mA LED Driver
IP Rating	IP20
IK Rating	IK04
Installation	Recessed

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Order Code:

AW6212RD-(Colour Finish)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW6212RD-WH-3K-25°-ND


Options:

Colour Finish	Temperature	Beam Angle	Dimming
WH (White)	3K (3000K)	25°	ND (Non-Dim)
	4K (4000K)		PH (Phase)
			11 (1-10V)
			DD (DALI)

Dimensions Line Diagram:



Photometrics:




We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Product Application Photos:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com