

AW6013EW Comet



Wall Recessed
Fixed

Application Descriptions:

- Wall Recessed, Fixed
- External Areas, Landscaping
- Planter Walls, Stair Walls, Entries, Corridors and Pathways Applications

Product Name	COMET
Description	Exterior, Downward Projected, Recessed LED Wall Luminaire with Back Housing
Material	Aluminium Alloy Body & Trim, Pre-treated for Outdoor Use, Clear Tempered Glass Diffuser, Injection Moulded Back Housing, Silicone Rubber Gasket
Dimensions	Height: 162mm; Width: 97mm; Projection: 83mm Cut-out: 158 x 97 x 76mm
LED Details	3W, Sharp SMD, 3000K, 120lms
Driver	Integral LED Driver
IP Rating	IP54
IK Rating	IK10
Installation	Wall Recessed

TECHNICAL INFORMATION

Order Code:


AW6013EW-(Colour Finish)-(Temperature)-(Dimming)

Example: AW6013EW-GR-3K-ND


Options:

Colour Finish	Temperature	Dimming
GR (Grey)	3K (3000K)	ND (Non-Dim)
BK (Black)		

Dimensions Line Diagram:



Photometrics:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com

TECHNICAL INFORMATION

Product Application Photo:

